

# STELMINE

Pioneering a New Gold District in Northern Quebec

TSXV: **STH |** OTC: **STHFF |** FSE: **SS5** 

stelmine.com

November 2022

## **Forward-Looking Statements**

Investors are cautioned that, except for statements of historical fact, certain information contained in this document includes "forward looking information", with respect to a performance expectation for Stelmine Canada. Such forward looking statements are based on current expectations, estimates and projections formulated using assumptions believed to be reasonable and involving a number of risks and uncertainties which could cause actual results to differ materially from those anticipated. Such factors include, without limitation, fluctuations in foreign exchange markets, the price of commodities in both the cash market and futures market, changes in legislation, taxation, controls and regulation of national and local governments and political and economic developments in Canada and other countries where Stelmine carries out or may carry out business in the future, the availability of future business opportunities and the ability to successfully integrate acquisitions or operational difficulties related to technical activities of mining and reclamation, the speculative nature of exploration and development of mineral deposits, including risks obtaining necessary licenses and permits, reducing the quantity or grade of reserves, adverse changes in credit ratings, and the challenge of title. The Company does not undertake an obligation to update publicly or revise forward looking statements or information, whether as a result of new information, future events or otherwise, unless so required by applicable securities laws. Some of the results reported are historical and may not have been verified by the Company. This document is not and does not constitute an offering memorandum under securities laws.

#### **Qualified Person**

The technical information in this document has been reviewed and approved by Michel Boily, PGeo, PhD. Mr. Boily is the qualified person responsible for the scientific and technical information contained herein under National Instrument 43-101 standards.

## 606 km<sup>2</sup>, 100% Owned by STH

East of James Bay Region Featuring Newmont's Eleonore Mine and Azimut's Elmer Discovery

#### **Courcy Discovery Hole:**


**42-m** core interval grading **4.2 g/t Au** starting just 12 m downhole (includes **12.2 g/t Au** over **13.5** m and **105 g/t** (VG) over **1.5** m).

Stelmine's initial drill program at Courcy ended in April, 2022 - 14 holes were drilled for a total of 2,237 m.

#### **Mercator:**


Sulphide-rich rocks found at surface across a minimum 21-km-long structural corridor including a 500-m wide mineralized slab in the 2.5-km-long Main Zone.

Crews are preparing for firstever drilling.






\$5.2 million invested in exploration to date.



## **Regional Map**




Courcy and Mercator are part of the Opinaca metasedimentary basin where the geological context has similarities to Newmont's Eleonore mine to the west.

- 100 to 200 km from Fermont, Quebec
- 60 km from the nearest infrastructures
- Accessible by floatplane and helicopter



## **Capital Structure & Valuation**

Capital Structure as of November, 2022					
Shares Outstanding	87,683,046				
Warrants	24,494,633				
Options	6,640,000				
Fully Diluted	118,817,679				
Value	\$16 M				
52 week (Low-High)	\$0.14 - 0.35				



TSXV: **STH |** OTC: **STHFF |** FSE: **SS5** 














STH features a favorable share structure with only 87 million shares outstanding (45% owned by management/insiders & close associates), (9.9% owned by Michael Gentile).



## **Mercator Highlights**

Large-Scale Gold Potential

District Size 100%-Owned Property - 775 claims (389 km²)





The system at Mercator appears to continue for many kilometres past the Meridian Zone

Acquired 5x land position in 2021 after promising field campaign (property-wide magnetic survey and extensive sampling)


Completed property-wide magnetic survey and extensive field work in 2021

New exploration campaign starts in June 2022 ahead of first-ever drilling. **Results are in pending.** 




## **Mercator Exploration Campaigns 2020-2021**

The mineralization was discovered along a minimum of 2.5 km length inside 5 to 20 m thick layers/slabs of mafic rocks dipping 30°-40° to the NW and bounded by important low angle thrust faults.



Shallow dipping mineralized slabs along a ridge within this area now extend **500 m in width** and includes pyrrhotite, pyrite, arsenopyrite/löllingite and chalcopyrite.





## **Mercator Exploration Campaigns 2020-2021**

Gold value Lenght Channel

2.66		Au (g/t)	m	#		Au (g/t)	m	#
Incl.   5.85   2.5   R21008   Incl.   1.83   1.5   R21029								
1.46		1.78	12.4	R20008 -		0.82	4.0	D24020
1.46	Incl.	5.85	2.5	R21008	Incl.	1.83	1.5	K21029
1.46								
1.46		2.66	11.5			0.70	7.9	
4.76	Incl.	5.1	4.1		Incl.	1.77	1.5	R21030
1.46   3.0   R20013   1.61   5.0   R21032								
1.46   3.0   R20013   1.61   5.0   R21032		4.76	1.2	R20011-R21042		0.75	10.0	
1.46   3.0   R20013   Incl.   2.115   3.0   R21032					Incl			R21031
Incl.   2.74   1,0					mici.			
Incl.   2.74   1,0		1 46	3.0			1 61	5.0	
1.28   3,0   R21019   2.13   12.5   R21034     1.29   1.20   1.20   1.20   1.20     1.29   1.29   1.20   1.25   1.25   3.0   R21043     1.29   1.25   1.25   1.25   1.25   1.25     1.29   1.25   1.25   1.25   1.25     1.20   1.25   3.0   R21047     1.20   1.25   3.0   R21047     1.25   3.0   R21047     1.26   1.27   1.25   3.0   R21047     1.27   1.28   1.28   1.28     1.28   1.29   1.29   1.25   3.0   R21047     1.29   1.20   1.25   3.0   R21047     1.20   1.20   1.20   1.20     1.21   1.22   1.23     1.22   1.23   1.24     1.23   1.24     1.24   1.25   1.25     1.25   1.25   3.0     1.25   3.0   R21047     1.26   1.27     1.27   1.28     1.28   1.29     1.29   1.29     1.29   1.29     1.20   1.20	Incl			R20013	Incl			R21032
Incl.         1.24         2,0         R21015         Incl.         4.25         3.0         R21033           1.28         3,0         R21019         2.13         12.5         R21034           Incl.         3.54         6.0         R21034           Incl.         3.54         6.0         R21034           Incl.         1.39         2.0         R21035           Incl.         1.55         3.0         R21043           Incl.         2.91         1,0         R21023           Incl.         6.77         1.0         R21044-R204-R204-R204-R204-R204-R204-R20003-	IIICI.	2.77	1,0		IIICI.	2.113	3.0	
Incl.         1.24         2,0         R21015         Incl.         4.25         3.0         R21033           1.28         3,0         R21019         2.13         12.5         R21034           Incl.         3.54         6.0         R21034           Incl.         3.54         6.0         R21034           Incl.         1.39         2.0         R21035           Incl.         1.55         3.0         R21043           Incl.         2.91         1,0         R21023           Incl.         6.77         1.0         R21044-R204-R204-R204-R204-R204-R204-R20003-		0.55	0.2			2 27	7.6	
1.28 3,0 R21019 2.13 12.5 R21034    Incl.   3.54   6.0     Incl.   3.54   6.0     Incl.   3.68   4.5     Incl.   1.39   2.0     Incl.   2.91   1,0     2.07   27.5     Incl.   8.11   1.5     Incl.   8.11   1.5     Incl.   0.87   6.6     Incl.   0.87   6.6     Incl.   5.05   2.5     Incl.   0.88   3.0     R21048     R21				R21015	<del>                                     </del>			R21033
1.51   6.7   R21023     1.55   3.0   R21043     1.51   1	Incl.	1.24	2,0		Incl.	4.25	3.0	
1.51   6.7   R21023     1.55   3.0   R21043     1.51   1								
2.84   6.0   R21020     0.82   5.0   R21035		1.28	3,0	R21019				R21034
1.51   6.7   R21023   1.55   3.0   R21043     1.51   2.91   1,0   R21023					Incl.	3.54	6.0	
1.51   6.7   R21023   1.55   3.0   R21043     1.51   2.91   1,0   R21023								
Incl.       3.68       4.5       Incl.       1.39       2.0         Incl.       1.51       6.7       R21023       1.55       3.0       R21043         Incl.       2.91       1,0       0.83       18.8       R21044-R200       -R20002-R20002-R20003         Incl.       6.77       1.0       -R20002-R20003         Incl.       0.87       6.6       R21047         Incl.       5.05       2.5         0.63       10.0       R21028         0.88       3.0       R21048		2.84	6.0	R21020		0.82	5.0	R21035
Incl.         2.91         1,0         R21023           2.07         27.5         R21025 - R21026         0.83         18.8         R21044 - R200 - R20002 - R20003           Incl.         6.677         1.0         - R20002 - R20003           Incl.         0.87         6.6           Incl.         5.05         2.5           0.63         10.0         R21028           0.88         3.0         R21048	Incl.	3.68	4.5		Incl.	1.39	2.0	
Incl.         2.91         1,0         R21023           2.07         27.5         R21025 - R21026         0.83         18.8         R21044 - R200 - R20002 - R20003           Incl.         6.677         1.0         - R20002 - R20003           Incl.         0.87         6.6           Incl.         5.05         2.5           0.63         10.0         R21028           0.88         3.0         R21048								
Incl.       2.91       1,0         2.07       27.5       R21025 - R21026       0.83       18.8       R21044 - R200 - R20002 - R20002 - R20003         Incl.       0.87       6.6       R21027       1.25       3.0       R21047         Incl.       5.05       2.5       R21027       0.88       3.0       R21048		1.51	6.7	P21022		1.55	3.0	R21043
Incl.   8.11   1.5	Incl.	2.91	1,0	N21023				
Incl.   8.11   1.5								
Incl.     8.11     1.5     Incl.     6.77     1.0     -R20002-R20003       Incl.     0.87     6.6       2.16     16.0       Incl.     5.05     2.5       0.63     10.0       R21028       0.88     3.0     R21048		2.07	27.5	D24025 D24026		0.83	18.8	R21044 - R2000
Incl.   0.87   6.6   R20003	Incl.	8.11	1.5	KZ1UZ5 - KZ1UZ6	Incl.	6.77	1.0	- R20002 -
Incl.     5.05     2.5       R21027     0.63       10.0     R21028       0.88     3.0       R21048					Incl.	0.87	6.6	R20003
Incl.     5.05     2.5       R21027     0.63       10.0     R21028       0.88     3.0       R21048								
Incl.     5.05     2.5     R21027       0.63     10.0     R21028     0.88     3.0     R21048		2,16	16.0			1.25	3.0	R21047
0.63 10.0 R21028 0.88 3.0 R21048	Incl			R21027			0.0	
R21028	mici.							
R21028		0.63	10.0			0.88	3.0	R21048
Incl. 1.75 1.5	Incl			R21028		0.00	J.0	

Gold value Lenght Channel

	01			
Au g/t	Grab			
	sample			
18,2	A0955351			
9,3	A0955352			
7,6	A0955353			
6,9	A0955354			
3,8	A0955355			
2,5	A0955356			
2,2	A0955357			
2,1	A0955358			
2	A0955361			
1,7	A0955362			
1,3	A0955363			
1,3	A0955364			
1,1	A0955365			
1,1	A0955366			
1	A0955367			


#### The Beginning of a Discovery (389 km<sup>2</sup> to explore)

- Disseminated gold mineralization associated with mafic granulite and iron formations is found on the crest, flank, and foothill of a 100 m high, 500 m wide, NE/SW-oriented, 3 km elongated hill characterized by positive magnetic anomalies.
- Since 2020, a total of 233 grab and 332 channel samples were collected totaling 394 linear m

Channels samples	Grabs samples			
26% > 1 g/t Au	7% > 1 g/t Au			
71% > 200 ppb Au	18% > 200 ppb Au			




## **IP/Resistivity Survey 2022**



- The survey covered 25 linear km with a 200 metre spacing.
- It has extended the gold prospective area to 3.6 km along a NE/SW strike with a 700-metre width at the southwestern end.
- The Survey also reveals at least three distinct high gold-prospective layers branching from the northeast, probably representing different shallow-dipping (<40° NW) stacked bands of sulphide-rich iron formations.



## **Mercator Drilling Campaign**








The company drilled 2000 m (13 drill holes) on the Meridian gold-bearing Zone extending 2.5 km X 500 m.

Logging of core material shows similar rock type and sulphide mineralization observed and sampled at the surface to a depth of 250 m. Mineralization consists of pyrrhotite, pyrite, löllingite/ arsenopyrite within granulitic mafic rocks injected/interlayered with metasediments.

## **Courcy: Gold Target**



Drilling has targeted gold mineralization now interpreted to be associated with **the Couteau** and Brulis thrust faults that extend for more than 20 km. Results are pending. 2006 discovery hole drilled by SOQUEM was the last of only 8 shallow drill holes ever completed at this under-explored project.

#### **Courcy Discovery Hole:**

**42 m** core interval grading **4.2 g/t**Au starting just 12 m downhole

Includes **12.2 g/t Au** over **13.5 m** and **105 g/t** (VG) over **1.5 m** 




"Ball textures" (brecciation of garnet and amphibole in a matrix of massive sulfides) characteristic of mineralized rocks associated with the Couteau Fault.



## 2021-2022 Drill Campaign Courcy (Zone 1)

A total of 14 drill holes comprising 2,237 metres were completed in Phase 1



# **Zone 1**Around SOQUEM Discovery Hole #8


- Stelmine has extended the prospective gold system in Zone 1 to at least 300 metres along the Couteau Fault
- Twelve of the 14 holes tested Zone 1

**Note:** The SOQUEM drill holes were collared based on MAX-MIN results survey only. The geology and assay data were largely ignored.



## 2021-2022 Drill Campaign Courcy (Zone 4)

A total of 14 drill holes comprising 2,237 metres were completed in Phase 1



# **Zone 4**Drilled for the first time in 2022

- 2 drill holes completed
- Intersected sulphide mineralization in an assemblage of fuchsite-bearing metasediments and garnet-rich amphibolites

## Results of the 2021-2022 Drill Campaign Courcy

The Company intends to investigate these promising sites during Phase 2

Au (g/t)	From (m)	To (m)	Lenght (m)*				
ZONE 1							
2.86	24.4	34.4	10.0				
5.28	26.8	31.2	4.4				
2.79	21.0		4.5				
12.29	21.0	22.0	1.0				
1.53	40.5	44.5	4.0				
0.55	52.5	61.0	8.5				
2.28	22.4	24.5	2.2				
1.06	71.3	71.8	0.5				
0.33	85.5	87.0	9.9				
1.12	94.4	95.4	1.0				
1.64	33.5	35.2	1.7				
0.3	14.0	18.5	4.6				
0.8	27.5	29.5	2.0				
	2.86 5.28 2.79 12.29 1.53 0.55 2.28 1.06 0.33 1.12 1.64	ZONE 1           2.86         24.4           5.28         26.8           2.79         21.0           12.29         21.0           1.53         40.5           0.55         52.5           2.28         22.4           1.06         71.3           0.33         85.5           1.12         94.4           1.64         33.5           0.3         14.0	ZONE 1           2.86         24.4         34.4           5.28         26.8         31.2           2.79         21.0         25.5           12.29         21.0         22.0           1.53         40.5         44.5           0.55         52.5         61.0           2.28         22.4         24.5           1.06         71.3         71.8           0.33         85.5         87.0           1.12         94.4         95.4           1.64         33.5         35.2           0.3         14.0         18.5				

<sup>\*</sup>Apparent width. the true width is unknown

DDH_No.		Au (g/t)	From (m)	To (m)	Lenght (m)*
STH21-COU007		0.79	4.0	11.5	7.5
	Incl.	1.25	6.0	8.5	2.5
	1	1.27	13.5	15.5	2.0
		1.27	13.3	13.3	2.0
		1.23	24.5	25.5	1.0
		2.3	43.5	43.9	0.4
			•		
STH21-COU010		2.11	47.1	49.1	2.0
		2.06	74.0	75.5	1.5
	ı				
		2.2	113.2	114.4	1.2
					T
STH21-COU011		1.58	26.0	29.0	3.0
CTHAL COHOLA		10.15	120.0	140.2	1.2
STH21-COU012		12.15	139.0	140.2	1.2
		1.02	162.5	164.0	1.5
	!	1.02	102.3	101.0	-
		0.4	104.0	107.7	3.7
			ZONE 4		
STH21-COU014		0.78	52.5	54.0	2.0

- Results from Zone 1 show the presence of visible gold (VG) in three holes
- The drilling campaign extended this shallow dipping and low depth zone by 300 m to the east.
- The maiden drilling program only investigated a small 1 km² area over 85 km²

#### **Leadership Team**

#### **Isabelle Proulx | BBA | President and CEO**

Ms. Isabelle Proulx holds a Bachelor in Business Administration. She is the co-founder of Petrolia (PEA-TSXV), society for whom she has acted as Vice-President of Business development for 10 years. During this period, she was also responsible for the social acceptability of the projects. Ms. Proulx has been president of Stelmine since December 2016.

#### Julie Lemieux | BSc. in geomatics | Director

Mrs. Lemieux brings 25 years in strategic management and business development. She is an experienced executive with a proven track record across a broad range of industries. Mrs. Lemieux currently serves on several boards of direction, notably on Durango Resources. Since 2017, she supports companies transitioning to the public market and acted as the driving force behind numerous transactions. She also worked for several years as a project manager and GIS specialist for Québec's Ministère de l'Énergie et des Ressources naturelles.

# Michel Boily | P.geo., Ph.D. | Director - Geology Advisory Committee

Dr. Boily is an expert geochemist and metallogenist specializing in the interpretation of precious and rare metal deposits in Precambrian volcano-plutonic terranes for the last 25 years. Since 1992, Dr. Boily has conducted exploration and technical evaluation of gold, base metals and rare metal properties located in Archean greenstone belts and the Grenville Province of Quebec. Dr. Boily holds a PhD in geochemistry from the University of Montreal and did postdoctoral studies at the University of Chicago. Dr. Boily has been the author of various publications in international scientific journals and has written numerous technical reports.

#### André Proulx | M.A. | Chairman of the Board

André Proulx has a Master's degree in ethnology (1974). He is a businessman known for developing Quebec's resources. He is currently President and General Manager of Résolve Énergie, a private company that aims to establish a 2nd generation ethanol biorefinery, fueled by sawmill residues and agricultural production. Since 1991, he has founded and listed two mining companies (Ressources Appalaches, Exploration Puma) and one oil company (Pétrolia). In recent years, André Proulx has been a director of six public companies including Sirios and Khalkos. He has been a director of Stelmine since November 30, 2016.

#### Jacinthe Baril | M.B.A., B.Comm | Director

Mrs. Baril has extensive experience with major Canadian banks. As a commercial banker for over 25 years, Jacinthe has a solid understanding of the standards and practices in commercial, industrial and mortgage financing. She has held several management positions with Laurentian, National and Desjardins Banks as well as with Investissement Québec.

## Normand Goulet | P.geo. , Ph.D. | Director - Geology Advisory Committee

Dr. Normand Goulet (Bsc, Université de Montréal; DEA and Doctorate, Université de Grenoble, France and PhD, Queen's University, Kingston) was, until recently, a tenured professor in geology at the Université du Québec, Montréal. Dr. Goulet brings a vast expertise in the domain of structural geology, tectonics, deformation of metalliferrous deposits and petrology. He has over 40 years of experience managing teams of geologists working for government or private agencies in Canada or abroad. In particular, Dr. Goulet carried out geological studies on the metasedimenary Opinaca basin and participated to the initial exploration work on the Courcy Property. Professor Goulet directed several international research projects on gold. He further participated in mapping and the completion of a new geological and metallogenic map of Mali.

#### **Alexandre Cruz - Geologist in Training**

Mr. Cruz holds a Master's degree in Geology from the University of Montréal and Univertité Orléans. Before joining Stelmine in 2019, he worked for Harfang, Exploration BRGM and Laurantia Exploration. He has been Stelmine's field crew lead and plans much of the exploration at Mercator and Courcy.





### **Contact**

#### **Isabelle Proulx**

President and CEO iproulx@stelmine.com 581-998-1222

#### **Investor Relations**

#### **MarketSmart Communications**

Adrian Sydenham info@marketsmart.ca 1-877-261-4466

stelmine.com

**Twitter**.com/StelmineCanada **Facebook**.com/StelmineCanada

**LinkedIn**.com/company/stelmine-canada-ltd